

# YORKVILLE™ FloWise® ELONGATED PRESSURE-ASSISTED TOILET 1.1 gpf / 4.2 Lpf

VITREOUS CHINA

### YORKVILLE™ FloWise® ELONGATED PRESSURE-ASSISTED TOILET 1.1 gpf / 4.2 Lpf

#### **2876.100**

- Vitreous china
- Floor-mounted, back-outlet toilet
- High Efficiency, Ultra Low-consumption (1.1 gpf/4.2 Lpf)
- EverClean® surface inhibits the growth of stain- and odor-causing bacteria, mold, and mildew on the surface
- Meets EPA WaterSense® criteria
- Elongated bowl
- Pressure-assisted siphon jet flush action
- Fully-glazed 2-1/8" trapway
- 10 x 12" water surface area
- Close-coupled Flushometer tank\*
- Metal chrome trip lever
- Speed Connect<sup>®</sup> tank/bowl coupling system
- Sanitary dam on bowl
- 4 bolt caps
- 100% factory flush tested

3701.100 Elongated bowl with 4 bolt caps
3701.001 Same as above, Universal Bow
4142.100 Flushometer tank complete with
coupling components .

#### **Nominal Dimensions:**

752 x 516 x 742mm (29-3/4" x 20-1/2" x 29-1/4")

Fixture only, seat and supply by others Recommended working pressure range 25 psi - 80 psi

#### Alternate Configurations Available:

- 4142.601 Tank and tank cover only with tank cover locking device
- 4142.801 Tank and tank cover only with right hand trip lever
- 4142.901 Tank complete with right hand trip lever and tank cover locking device


#### **Compliance Certifications -**

#### Meets or Exceeds the Following Specifications:

- ASME A112.19.2-2008/CSA B45.1-08 for Vitreous China Fixtures
- US EPA WaterSense® Specification for HET's

## To Be Specified: ☐ Color: ☐ White ☐ Bone ☐ Linen ☐ Seat: American Standard #5901.100.020 Supply with Stop:





WASTE OUTLET SEAL RING MUST BE NEOPRENE OR GRAPHITE-

FELT (WAX RING NOT RECOMMENDED).
SUPPLY NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED SEPARATELY

DISTANCE FROM FLOOR TO CLOSET FLANGE CENTERLINE (ROUGH-IN) MUST BE 4" (102 MM) WITH FLANGE SURFACE FLUSH TO 1/16" (1.5MM) MAX. BEYOND FINISHED WALL. \* DIMENSION SHOWN FOR LOCATION OF SUPPLY IS SUGGESTED. FOR ADDITIONAL INFORMATION REFER TO INSTALLATION

INSTRUCTIONS SUPPLIED.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME A112.19.2-2008 / CSH B45.1-08. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.





© 2017 AS America Inc.